



## Overview

Secabo's SC30 sheet vinyl cutter automatically cuts out stickers and similar objects from sheets sized up to 330mm x 488mm with complete contour accuracy. The SC30 automatically reliably draws individual sheets from a stack of up to 50 sheets (depending on the material). Various printable self-adhesive materials such as paper and film can be used. The cutting system's maximum contact pressure of up to 750g also allows for cutting laminated prints. Thanks to the well-known crop mark recognition system LAPOS Q, a barcode with the corresponding cut job's identifier is read at the beginning of each sheet in addition to the crop marks and the associated data is automatically retrieved from DrawCut PRO. Thus, sheets with different cut jobs can be mixed. User intervention is not required. The SC30 sheet vinyl cutter is the ideal machine for reliable and automatic production of contour-cut stickers and labels in the business areas of copy shops, product labeling, office applications and many others.

## Features



### high precision

High precision for cutting of smallest fonts and objects.



### Easy menu navigation

comfortable control panel with illuminated LCD-display and large buttons



### Plug and play

Everything you need to operate the device is included in the scope of delivery.



### DrawCut PRO

DrawCut PRO included - with control for LAPOS XPT, vectorization, text to path, shading, etc.



### LAPOS Q

State-of-the-art contour cutting function for Print&Cut applications, automatic continuous recognition of register marks




### servo drives

silent, precise and powerful servo drives for best cutting results



### Automatic feed

Depending on the thickness of the material used, you can make up to 50 sheets. at once and - irrespective of the motif - automatically one after the other with exact contours.



### Various formats

You can choose between media and printed originals in DIN A4, DIN A3 and DIN A3+.

## Technical Data

interfaces	USB
countour cutting function	LAPOS Q, sequential cut marks
scope of delivery	Sheet cutting plotter, multilingual cutting software DrawCut PRO (Windows), drag knife, ball-bearing knife holder, plotting pen, connecting cable, user manual in German language
power supply	175W, 230V, 50Hz
environment	5°C - 35°C, up to 50% humidity
max. thickness	0,5 mm
motor	servo drives
downforce	50g - 750g g
control	backlit graphic touch LCD graphic display
Max. cutting speed	960 mm/s
Dimensions (W x D x H)	65cm x 51cm x 37cm
Max. sheet size	330mm x 488mm
Max. cutting surface	320mm x 478mm
weight without packaging	36 kg
weight with package	54,00 kg
Brand	Secabo

## Views

