



## Overview

The new Secabo T60 II cutting plotter with modern automatic functions is ideal for processing large plots and high volumes in professional quality. With its powerful servo motor, it can process all common materials up to a maximum cutting width of 61 and a media width of up to 72 centimeters. The integrated LAPOS Q multi register mark detection system automatically registers set register marks so that even free forms can be cut precisely. The backlit LCD display and large gel buttons make it easy and convenient to use. The scope of delivery includes the DrawCut PRO cutting software for Windows as well as a sturdy stand with roller holder and a practical collection basket.

## Features



### high precision

High precision for cutting of smallest fonts and objects.



### servo drives

silent, precise and powerful servo drives for best cutting results



### Plug and play

simple installation, no additional drivers necessary



### DrawCut PRO

DrawCut PRO included - with control for LAPOS XPT, vectorization, text to path, shading, etc.



### LAPOS Q

State-of-the-art contour cutting function for Print&Cut applications, automatic continuous recognition of register marks



### Mac compatible

This product is also available as a mac compatible version with the SignCut software (without LAPOS).



### Easy menu navigation

comfortable control panel with illuminated LCD-display and large buttons



### 64bit enabled

The device can be controlled by 64bit operating systems.

## Technical Data

dimensions	92cm x 26cm x 26cm
scope of delivery	Cutting plotter, multilingual cutting software DrawCut PRO (Windows), drag-blade, ball-bearing knife holder, plotter pen, DIN A3 plotting board, connecting cable, stand with roller holder and collecting basket, user manual in German language
control	back-illuminated graphic LCD display with gel buttons
countour cutting function	LAPOS Q, sequential cut marks
max. downforce	50 - 750 g
max. media width	720 mm
max. media thickness	1 mm
max. cutting size	610 mm
max. cutting speed	960 mm/s
mech. resolution	0,01254 mm
interfaces	USB
motor	Servo motor
weight without packaging	25 kg
weight with package	25,00 kg
Brand	Secabo

## Views

