


**TC**

## Overview

With the TC2 heat press Secabo shows up with the right press for the introduction into textile finishing and other transfer techniques. On the digital controller of the Secabo TC2 time and temperature for the transfers can be set. After the transfer is done, an acoustic signal sounds. The contact pressure is adjusted by a hand wheel on the upper side of the heating plate. The pressing operation starts when the pressing lever is closed. The large opening angle allows comfortable preparing of the transfer objects on the base plate. The TC2 has a working area of 23cm x 33cm and a heating plate with a power consumption of 1.000W.

## Features



### Digital Controllers

Time and temperature can easily be set and controlled by the digital controllers.



### Variable working pressure

the pressure can easily be adjusted - depending on the technology and object



### Working safely

The safety and quality of the machines is permanently controlled by German safety standards



### Exact temperature distribution

The high-quality heat plate ensures an exact temperature distribution over the whole heating plate

## Technical Data

dimensions	34cm x 40cm x 46cm
pressure setting	the heating plate can be adjusted with a hand reel
net weight	19 kg
working area	23cm x 33cm
max. working pressure	150 g/cm <sup>2</sup>
max temperature	255 °C
maximum time preset	999 s
power supply	230V / 50Hz - 60Hz, 1,0kW
environment	5°C - +35°C / 30% - 70% humidity
folding angle	0 ° - 45 °
locking system	manual toggle lever
Brand	Secabo

## Views



